1

	Application No.	Applicant(s)
Notice of Allowability	10/026,629	CACERES ET AL.
	Examiner	Art Unit
	Tamra L. Dicus	1774
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to decision on appeal mailed 09-29-05. 2. The allowed claim(s) is/are 1-5,7-18 and 20-25.		
 3.		
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	C - Notice of Informal D	4 - 4 A - 2 P - 2 P - 2 (DTO 450)
1. Notice of References Cited (PTO-892) 2. Notice of Praffperson's Patent Drawing Review (PTO-948)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (Paper No./Mail Date	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	8), 7. Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Statemen	nt of Reasons for Allowance
	9.	!
•		

Art Unit: 1774

DETAILED ACTION

Priority

The Examiner previously noted in the Office Action mailed 03/27/03 that the foreign copy of FR 97 0192 has not been received. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in France on 04/03/97. It is noted, however, that applicant has not filed a certified copy of the France application as required by 35 U.S.C. 119(b).

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The applied prior art of record does not teach or suggest an article with cooling capability by water desorption as recited in claims 1 and 14 having an polymer absorbent in particulate form wherein each particle comprises a core of less cross-linked polymer sequences for retaining absorbed water and a shell of more cross-linked polymer sequences for retarding diffusion of water from a particle to another during desorption of absorbed water and wherein the amount of polymer particles enclosed in a bag are in excess compared to the theoretical amount that would be just required to fill up the bag when they are in the full swollen state, or a method of relieving pain as recited in claim 13 namely having a polymer absorbent in particulate form wherein each particle comprises a core of less cross-linked polymer sequences for retaining absorbed water and a shell of more cross-linked polymer sequences for retarding diffusion of water from a particle to another during desorption of absorbed water, said method comprising: wetting said polymer particles with water through said envelope during a sufficient time to swell them into a gel mass filling up said bag, and applying said article on said sore part of the individual's body maintaining an inner wall in

Application/Control Number: 10/026,629 Page 3

Art Unit: 1774

close contact thereon while allowing water vapor desorbed from said particles to escape through an opposed outer wall of said envelope. The invention is allowable on this basis.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tamra L. Dicus whose telephone number is 571-272-1519. The examiner can normally be reached on Monday-Friday, 7:00-4:30 p.m., alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571-272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tamra L. Dicus

Examiner

Art Unit 1774

October 11, 2005

SUPERVISORY PATENT EXAMINER

4.0.1714